

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	0	(desired near3 (delay or skew))near6 ((integ\$3 or (natural adj number))with fraction\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 08:41
L3	0	(desired near3 (delay or skew))same ((integ\$3 or (natural adj number))with fraction\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 08:42
L4	0	(desired near3 (delay or skew))and ((integ\$3 or (natural adj number))with fraction\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/12 08:42
S1	46	((integer or integral)adj2 multipl\$4)near7 ((fractional or fraction)adj2 multipl\$3))same (period or time or duration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:48
S2	4	((variable or configur\$4 or adjust\$4 or controll\$4)near4 (period or length or delay or time))same ((integ\$4 adj2 multipl\$3)with (fract\$4 adj2 multipl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:35
S3	2	"6266750".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 07:58
S4	9	"6266750".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 07:58
S5	1295	((variable or configur\$4 or adjust\$4 or controll\$4)near4 (period or length or delay or time))same ((smaller or less or least or fraction\$2)adj5 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:18

S6	1549	((delay)near2 (period or length or delay or time))same ((smaller or less or least or fraction\$2)adj5 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:02
S7	944	((delay)near2 (period or length or delay or time))with ((smaller or less or least or fraction\$2)adj5 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:02
S8	1878	((delay)adj32 (period or length or delay or time))with ((smaller or less or least or fraction\$2)adj5 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:02
S9	976	((delay)adj3 (period or length or delay or time))with ((smaller or less or least or fraction\$2)adj5 clock)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:03
S10	397	((delay)adj3 (period or length or delay or time))with ((smaller or less or least or fraction\$2)adj5 (period near3 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:03
S11	4	S10 and (((integer or integral)adj2 multipl\$4)near7 ((fractional or fraction)adj2 multipl\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:06
S12	48	DeMone.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:12
S13	430	gillingham.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:07

S14	118	S13 and peter	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:07
S15	2	S12 and S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:07
S16	140	((variable or configur\$4 or adjust\$4 or controll\$4)near4 (period or length or delay or time))and (resolution with ((smaller or less or least or fraction\$2)adj5 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:19
S17	85	((variable or configur\$4 or adjust\$4 or controll\$4)near4 (delay))and (resolution with ((smaller or less or least or fraction\$2)adj5 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:20
S18	17	((variable or configur\$4 or adjust\$4 or controll\$4)near4 (delay))same (resolution with ((smaller or less or least or fraction\$2)adj5 clock))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:29
S19	577119	((F or frequency)/T).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 08:33
S20	31	((Fraction near5 value)same (clock adj (duration or period or frquency)))same delay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:36
S21	6	S20 and (fixed near3 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:15

S22	25	S20 and (counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:12
S23	5	S21 and (counter)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:12
S24	4	((Fraction near5 value)same (clock adj (duration or period or frquency)))same ((variable or program\$4 or dynamic\$4) near6 delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:31
S25	6	((clock adj (duration or period or frquency)))same ((variable or program\$4 or dynamic\$4) near6 (fraction\$3 adj3 delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:31
S26	29	((clock or frequenc\$3)near3 resolution)with ((less or small\$3)adj6 (period or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:30
S27	1	S26 and ((variable or program\$4 or dynamic\$4) near6 (fraction\$3 adj3 delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:32
S28	2	S26 and ((select\$4 or adjust\$4 or variable or program\$4 or dynamic\$4) near6 (fraction\$3 adj3 delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:35
S29	2	S26 and ((select\$4 or adjust\$4 or controla\$4 or variable or program\$4 or dynamic\$4) near6 (fraction\$3 adj3 delay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:33

S30	6	((fraction\$3 adj3 delay)near2 circuit)same bits	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:40
S31	4	((fraction\$3 adj3 delay)near2 circuit)same (delay near2 value)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 15:41
S32	15	((fraction\$3 adj3 delay)near2 circuit).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:39
S33	1	((fraction\$3 adj2 bit\$1)adj2 value)same (clock near2 (period or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:41
S34	2	"6266750".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/10 16:41
S35	37	(packet near3 driv\$4)with (memory near2 (control\$4 or process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:21
S36	9	S35 and ((reduc\$4 or minimiz\$5 or optimiz\$5 or optimal or decreas\$4 or lower\$4) near5 latenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:02
S37	3	((reduc\$4 or minimiz\$5 or optimiz\$5 or optimal or decreas\$4 or lower\$4) near5 (program\$4 near3 latenc\$3))with (memory near3 (control\$4 or operat\$3 or process\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:07

S38	1	((desired or required)near5 latency)with ((greater or less or more or equal or higher or saml\$3)near3 (threshold or predefined or predetermined or designed))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:11
S39	3132	((select\$5 or adapt\$5 or dynamic\$4)near5 (command near3 (process\$4 or control\$4 or execut\$4 or operati\$3)))with (memory or SDRAM or DDRAM or SLD RAM or ram)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:15
S40	1	((select\$5 or adapt\$5 or dynamic\$4)near5 (command near3 (process\$4 or control\$4 or execut\$4 or operati\$3)))with (latenc\$3 near3 threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:16
S41	51	S39 same latenc\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:26
S42	5	S41 and (sequencer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:17
S43	2	S39 same (threshold near4 latenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:26
S44	104	(memory near3 (control\$4 or process\$3))and (threshold near4 latenc\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:27
S45	2	S44 and (fraction\$2 near3 delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:35

S46	3	S39 and (fraction\$2 near3 delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:30
S47	2	"6385125".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:30
S48	8	"6385125".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 08:31
S49	755	power adj strip	USPAT	OR	ON	2005/05/11 12:29
S50	26	S49 with (power adj distribution)	USPAT	OR	ON	2005/05/11 12:22
S51	8	(power adj strip)adj5 (power adj distribution)	USPAT	OR	ON	2005/05/11 13:26
S52	2	"6037818".uref.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:31
S53	24932	"713"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:52
S54	0	delay with ((resolution near2 (smaller or les\$3 or lower))adj5 (period or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:34
S55	0	S53 same (delay with ((resolution near2 (smaller or les\$3 or lower))adj5 (period or duration)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:50

S56	0	S53 same (delay same((resolution near2 (smaller or less\$3 or lower))adj5 (period or duration)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:34
S57	0	S53 and (((variable or configur\$4 or adjust\$4 or controll\$4)near4 (period or length or delay or time))same ((integ\$4 adj2 multipl\$3)with (fract\$4 adj2 multipl\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:35
S58	1	S53 and (((Fraction near5 value)same (clock adj (duration or period or frequency)))same delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:54
S59	4	S53 and (((((integer or integral)adj2 multipl\$4)near7 ((fractional or fraction)adj2 multipl\$3))same (period or time or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:56
S60	3883	Tcp.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:51
S61	0	S60 and (fraction\$3 near2 multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:51
S62	105492	"327"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:14
S63	7	S62 and (((((integer or integral)adj2 multipl\$4)near7 ((fractional or fraction)adj2 multipl\$3))same (period or time or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:52

S64	7	S62 and (((integer or integral)adj2 multipl\$4)near7 ((fractional or fraction)adj2 multipl\$3))same (period or time or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:54
S65	8	S62 and (((Fraction near5 value)same (clock adj (duration or period or frequency))))same delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:14
S66	7	S62 and (((integer or integral)adj2 multipl\$4)near7 ((fractional or fraction)adj2 multipl\$3))same (period or time or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:14
S67	2369	S62 and (variable near3 (delay or skew))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 13:57
S68	74	S62 and ((variable near3 (delay or skew))same fraction\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:15
S69	61385	"333"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:16
S70	2	S69 and (((integer or integral)adj2 multipl\$4)near7 ((fractional or fraction)adj2 multipl\$3))same (period or time or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:21
S71	0	S69 and (((Fraction near5 value)same (clock adj (duration or period or frequency))))same delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:14

S72	19	S69 and ((variable near3 (delay or skew))same fraction\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:16
S73	13954	"380"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:17
S74	2	S73 and ((variable near3 (delay or skew))same fraction\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:17
S75	20246	"386"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:19
S76	8	S75 and ((variable near3 (delay or skew))same fraction\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:19
S77	34129	"702"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:19
S78	8	S77 and ((variable near3 (delay or skew))same fraction\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:19
S79	0	S73 and (((integer or integral)adj2 multipl\$4)near7 ((fractional or fraction)adj2 multipl\$3))same (period or time or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:21

S80	0	S75 and (((integer or integral)adj2 multipl\$4)near7 ((fractional or fraction)adj2 multipl\$3))same (period or time or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:21
S81	0	S77 and (((integer or integral)adj2 multipl\$4)near7 ((fractional or fraction)adj2 multipl\$3))same (period or time or duration))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 14:21
S82	47	((half-clock-period or (half adj4 period))near3 (delay or skew))with (mux or multiplex\$3 or encoder or decoder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:10
S83	20	S82 and (counter or timer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:04
S84	50	(multiplexer or decoder)with (input near6 (half-clock or (half near3 period)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:30
S85	28522	(multiplexer or decoder)with (input near6 (control or (counter near3 output)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:29
S86	3753	(multiplexer or decoder)with (input near6 ((counter near3 output)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:29
S87	2832	(multiplexer or decoder)with (input near6 (counter near2 output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:33

S88	2	S84 same (input near6 (counter near2 output))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:30
S89	2	((multiplexer or decoder)with (input near6 (counter near2 output)))same (input near6 (half-clock or (half near3 period)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:34
S90	12	((multiplexer or decoder)with (input near6 (counter near2 output)))same ((half-clock or (half near3 period)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/05/11 15:34